Unattended experiments:

Only reactions which are considered completely safe may be left unattended.

- All heating apparatus must be equipped with a temperature controller.
- All glass joints must be secure
- The tubing on reflux condensers must be secure and a water safety cut-out switch must be used.
- Vacuum and compressed gases must be set up safely and securely.

An unattended experiment form or a suitable risk assessment must be filled out for each unattended experiment. Copies must be displayed on the fume cupboard sash and in the entrance to the lab space.

The following information must be available (in addition to the details of the experiment):

- Name of the person responsible.
- Name of the supervisor of the person responsible.
- A contact number for the person responsible.
- The time and date the experiment will conclude.
- Emergency action which should be taken by persons with no knowledge of the particulars of the experiment (eg. Service personnel or emergency services).

Once the experiment has concluded the unattended experiment forms or risk assessments **<u>must</u>** be removed from their displays.

Appendices:

- 1. School of Chemistry unattended experiment form (available as laminated card from Safety Advisor).
- 2. Example of acceptable risk assessment.

School of Chemistry Unattended Experiment Form					
Lab:	Date:	Fume Cuj	oboard No:		
Name (of person responsible): 24 hour Contact No: Signature: List solvents and all hazardous chemicals (Do not write formulae!!)					
Possible Hazards <i>Fire</i> <i>Avoid contact</i> Apparatus:	Explosion	Toxic Fumes ther (specify)	Corrosion		
Services required					
Water	electricity	heat	inert gas		
vacuum other (specify) Emergency action:					
Supervisor (or Alternative Supervisor):					
Signature:					
	required. Please place one c he lab-door.	on fume cupboard and the	other in the box provided		

- NB: Remove this form from the box when experiment is complete
- Leave light on in fume cupboard containing this experiment
- Please refer to School of Chemistry SOP for Unattended Experiments

Researcher: A. Chemist 0871234567

Supervisor: A. N. Other 0877654321

Reaction:

Isolation of Lycopene from Tomato Paste – 2nd year Biological Molecules

Reactants	CAS	Weight/	Risk Phrases/	Safety phrases/
		volume	Hazard statements	Precaution states.
Tomato paste	N/A	5g	N/A	
Methanol	67-56-1	10ml	R11, R23/24/25,	S7, S16, S36/37, S45
			R39/23/24/25	
Dichloromethane	75-09-2	25ml	H351	P281
Brine	7647-14-5	150ml	none	
	7732-18-5			
Sodium Sulphate	7757-82-6	~5g	none	

Equipment used:

Steam bath at 100°C

Reflux condenser

Hazard Symbols/ Warning signs:







Risk phrases/Hazard statements:				
R11-Highly flammable				
R23/24/25-Toxic by inhalation, in contact with skin and if swallowed				
R39/23/24/25-Toxic: danger of very serious irreversible effects through inhalation, in contact with				
skin and if swallowed.				
H351-Suspected of causing cancer.				
Risks/Potential outcomes: Routes of expos				
Inhalation of solvent vapours Lungs				
Burns from steam bath. Skin				
Electrical risks associated with steam bath and liquids.				
Suspected carcinogen used in this reaction.				

Product not hazardous.

No. of persons exposed to haz	ards:	Frequency of use: Once off for 3 hours	
Severity:	Likelihood:		Risk rating
Very harmful	Unlikely		Moderate

Safety phrases/Precautionary statements:

S7-Keep container tightly closed.

S16-Keep away from sources of ignition - No smoking.

S36/37-Wear suitable protective clothing and gloves.

S45-In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible).			
P281-Use personal protective equipment as required.			
Control measures:			
Lab coat, safety glasses and nitrile gloves.			
Students supervised by demonstrators and a Lecturer.			
Technical Officer contactable in emergency			
At least one First aider in the lab at all times			
Electrical equipment inspected before practical and demonst	rators inspect reflux set-up before use		
-			
Emergency measures:			
Fire extinguishers available.			
Fire evacuation procedures in place.			
Spill kits available – follow instructions on spill kit.			
First aid measures:			
Emergency shower and eye wash station.			
First aid kits available (with burn gel).			
Waste disposal considerations:			
Halogenated solvent waste.			
Non-halogenated solvent waste			
Location of relevant SDS:			
Inside main door.			
Signature:	Date:		
Signature.			
Recommended further control measures:			
Consider replacing Dichloromethane with less harmful solven	t		